


Suction cups / FDA-compliant silicone with ring in silicone foam

VG.B16F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam




Application example




Technical features		
Material	Colour	Temperature range
Silicone, FDA SIL	Transparent	-55 ÷ +200 °C


Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.B16F.50.M5F.E8.SFO	VG.B16 suction cup, FDA-compliant silicone, 50 Shore, M5 female, 8 mm hex with silicone foam ring	0321545
B	VG.B16F.50.M5M.E8.SFO	VG.B16 suction cup, FDA-compliant silicone, 50 Shore, M5 male, 8 mm hex with silicone foam ring	0321547
C	VG.B16F.50.G18F.E13.SFO	VG.B16 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 13 mm hex with silicone foam ring	0321548
D	VG.B16F.50.G18M.E13.SFO	VG.B16 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 13 mm hex with silicone foam ring	0321549



Identification codes			
Drawing	Alphanumeric code	Suction cups	Order code
A	VG.B16F.SFO	VG.B16 suction cup in FDA-compliant silicone, 50 Shore, with silicone foam ring	0321546




Identification codes			
Drawing	Alphanumeric code	Fittings	Order code
A	FT.M5F.E8	M5 female fitting, 8 mm hex	2321408
B	FT.M5M.E8	M5 male fitting, 8 mm hex	2321410
C	FT.G18F.E13	G1/8" female fitting, 13 mm hex	2321412
D	FT.G18M.E13	G1/8" male fitting, 13 mm hex	2321414




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.B22F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam




Application example




Technical features		
Material	Colour	Temperature range
Silicone, FDA SIL	Transparent	-55 ÷ +200 °C


Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.B22F.50.M5F.E8.SFO	VG.B22 suction cup, FDA-compliant silicone, 50 Shore, M5 female, 8 mm hex with silicone foam ring	0321550
B	VG.B22F.50.M5M.E8.SFO	VG.B22 suction cup, FDA-compliant silicone, 50 Shore, M5 male, 8 mm hex with silicone foam ring	0321552
C	VG.B22F.50.G18F.E13.SFO	VG.B22 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 13 mm hex with silicone foam ring	0321553
D	VG.B22F.50.G18M.E13.SFO	VG.B22 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 13 mm hex with silicone foam ring	0321554



Identification codes			
Drawing	Alphanumeric code	Suction cups	Order code
A	VG.B22F.SFO	VG.B22 suction cup in FDA-compliant silicone, 50 Shore, with silicone foam ring	0321551



Identification codes			
Drawing	Alphanumeric code	Fittings	Order code
A	FT.M5F.E8	M5 female fitting, 8 mm hex	2321408
B	FT.M5M.E8	M5 male fitting, 8 mm hex	2321410
C	FT.G18F.E13	G1/8" female fitting, 13 mm hex	2321412
D	FT.G18M.E13	G1/8" male fitting, 13 mm hex	2321414




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.B33F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam




Application example




Technical features		
Material	Colour	Temperature range
Silicone, FDA SIL	Transparent	-55 ÷ +200 °C

Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.B33F.50.G18F.E12.SFO	VG.B33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0321555
B	VG.B33F.50.G18M.E12.SFO	VG.B33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0321557
C	VG.B33F.50.G18F.E16.SFO	VG.B33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0321558
D	VG.B33F.50.G18M.E16.SFO	VG.B22 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0321559
E	VG.B33F.50.G14F.E16.SFO	VG.B33 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0321560
F	VG.B33F.50.G14M.E17.SFO	VG.B33 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0321561




Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.B33F.SFO	VG.B33 suction cup in FDA-compliant silicone, 50 Shore, with silicone foam ring	2321556



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female +tting, 12 mm hex	2321422
B	FT.G18ME12	G1/8" male +tting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female +tting, 16 mm hex	2321426
D	FT.G18ME16	G1/8" male +tting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female +tting, 16 mm hex	2321430
F	FT.G14ME17	G1/4" male +tting, 17 mm hex	2321432




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.B42F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam




Application example




Technical features		
Material	Colour	Temperature range
Silicone, FDA SIL	Transparent	-55 ÷ +200 °C

Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.B42F.50.G18F.E12.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0321562
B	VG.B42F.50.G18M.E12.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0321564
C	VG.B42F.50.G18F.E16.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0321565
D	VG.B42F.50.G18M.E16.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0321566
E	VG.B42F.50.G14F.E16.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0321567
F	VG.B42F.50.G14M.E17.SFO	VG.B42 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0321568




Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.B42F.SFO	VG.B42 suction cup in FDA-compliant silicone, 50 Shore, with silicone foam ring	2321563



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female +tting, 12 mm hex	2321422
B	FT.G18ME12	G1/8" male +tting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female +tting, 16 mm hex	2321426
D	FT.G18ME16	G1/8" male +tting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female +tting, 16 mm hex	2321430
F	FT.G14ME17	G1/4" male +tting, 17 mm hex	2321432




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.B53F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam




Application example




Technical features		
Material	Colour	Temperature range
Silicone, FDA SIL	Transparent	-55 ÷ +200 °C

Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.B53F.50.G18F.E12.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0321569
B	VG.B53F.50.G18M.E12.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0321571
C	VG.B53F.50.G18F.E16.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0321572
D	VG.B53F.50.G18M.E16.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0321573
E	VG.B53F.50.G14F.E16.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0321574
F	VG.B53F.50.G14M.E17.SFO	VG.B53 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0321575



Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.B53F.SFO	VG.B53 suction cup in FDA-compliant silicone, 50 Shore, with silicone foam ring	2321570



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female +tting, 12 mm hex	2321422
B	FT.G18M.E12	G1/8" male +tting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female +tting, 16 mm hex	2321426
D	FT.G18M.E16	G1/8" male +tting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female +tting, 16 mm hex	2321430
F	FT.G14M.E17	G1/4" male +tting, 17 mm hex	2321432

